



SUSTAINABILITY AND ECO-CONSCIOUS ENVIRONMENTAL SCULPTURE THROUGH ARTIFICIAL INTELLIGENCE

EKE Robort ¹ and IKPONMWOSA Osamudiamen ²

¹Department of Fine and Applied Arts, Delta State Polytechnic, Ogwashi-Uku, Delta State, Nigeria

²Department of Fine and Applied Art Education, School of Secondary Education (Vocational) Federal College of Education (Technical), Asaba, Delta State. Nigeria.

Journal of Research in Vocational and Technical Education (JORVTED), 2026, 5(1), 196–205

Publication history: Received on 23 January 2026; revised on 07 March 2025; accepted on 10 May 2026

Article DOI: <https://doi.org/10.5281/zenodo.20370315>

Abstract

Environmental sculpture has evolved from monumental land art to technologically enhanced interventions that respond to place, ecology, and human activity. As climate concerns intensify, environmental artists face pressure to reduce carbon footprints, adopt circular material strategies, and integrate their work into broader sustainability frameworks. Artificial intelligence (AI) provides new tools for eco-conscious sculpture—helping artists analyze material impacts, optimise structural performance, model long-term ecological effects, and embed sculptures into smart-city systems. This paper examines how AI enables sustainable decision-making from concept to post-installation, drawing examples from architecture, product design, and public art, and showing relevance to African cities, particularly Nigeria.

Keywords: *Environmental Sculpture, Artificial Intelligence in Art, Sustainable Art Practices, Eco-Conscious Design, Machine Learning in Sculpture, Life Cycle Assessment (LCA), Green Design Optimization, Circular Economy in Art, Smart Cities and Public Art, Digital Fabrication, Climate-Responsive Art, Sustainable Materials*

Introduction

Environmental sculpture sits at the intersection of art, ecology, architectural space, and public life. Historically, works such as Robert Smithson’s Spiral Jetty (1970) and Christo and Jeanne-Claude’s large-scale fabric installations expanded the definition of sculpture into landscape, weather, and ecological change. However, many iconic land art works involved massive earth displacement, industrial machinery, and imported materials—unsustainable practices by today’s standards.

In the 21st century, environmental sculpture is expected to be:

- ecologically responsible,
- sustainable in material and maintenance,
- culturally and socially inclusive,
- and aligned with principles of circular economy.

This demand grows urgently because:

- urban populations are expanding,
- public art budgets increasingly require environmental impact justification,
- and climate policy influences the built environment.

Corresponding Author: EKE Robort

Copyright © 2026 Author(s) retain the copyright of this article.



Artificial intelligence plays a transformative role in this transition. Rather than depending solely on the sculptor's intuition, AI introduces scientific evidence, predictive modeling, and large-scale simulation into artistic decision-making. According to Romeiko et al. (2023), machine learning now accelerates sustainability evaluation by predicting emissions, energy use, and environmental degradation before construction begins. Gachkar (2024) further argues that AI-based life-cycle assessment (LCA) provides faster, more accurate predictions than manual methods, making environmentally responsible design accessible even to non-engineers.

This paper expands on four pillars viz-a-vis:

- Sustainability concerns in environmental art
- AI for eco-material selection and circular design
- Machine learning for environmental impact prediction
- AI-driven life-cycle and smart-city integration

African and Nigerian contexts are woven into the discussion, since many emerging art centres in Lagos, Abuja, Nairobi, and Johannesburg are experimenting with digital fabrication while facing severe waste management and climate adaptation challenges.

Sustainability Concerns in Environmental Art Practices

Environmental and public sculpture often use:

- large metal structures,
- reinforced concrete,
- stone quarrying,
- imported synthetic coatings,
- or polymer plastics.

These processes generate:

- high CO₂ emissions,
- soil and habitat disturbance,
- construction waste, and
- long-term maintenance burden.
- Carbon and Material Footprint

The embodied carbon of a sculpture includes emissions from:

- material extraction,
- transportation,
- fabrication,
- installation, and
- end-of-life disposal.

A stainless-steel outdoor sculpture may last centuries but requires high-energy smelting and long transport chains. Traditional bronze casting requires fuel-intensive foundry work. Without sustainability planning, art—ironically—harms the environment it aims to celebrate.

Maintenance and Weathering

Outdoor works deteriorate:

- metal corrosion,

Corresponding Author: EKE Robort

Copyright © 2026 Author(s) retain the copyright of this article.



- UV fading of pigments,
- water and salt penetration,
- structural fatigue from wind.

Maintenance chemicals, repainting, and structural repair may cause hidden environmental cost. AI can help by predicting weather-exposure patterns and suggesting materials that require minimal intervention.

Public Accountability and Funding

Government agencies, museums, and cities increasingly demand environmental reporting for public projects. For instance:

- The EU requires documented sustainability for cultural infrastructure grants (EU Green Cultural Policy, 2022).
- Many American cities require climate-responsible public works procurement (US Public Art & Sustainability Framework, 2023).
- African megacities, especially Lagos and Nairobi, have begun green city planning, though policy is still emerging.
- Thus, sustainability is not optional—it is a gatekeeping requirement for funding and international collaboration.

AI For Eco-Material Analysis and Selection

Material choice is the first—and often most powerful—decision in reducing environmental impact. AI enhances this in three ways:

Access to Global Material Databases

AI algorithms can scan thousands of material profiles, comparing:

- embodied energy,
- recyclability,
- durability,
- toxicity levels,
- environmental certification,
- sourcing distance.

In Zhong et al. (2025), AI automatically cross-compares sustainable building materials using graph-based reasoning. Instead of guessing, artists can receive ranked recommendations—for example:

- Material
- Embodied CO₂ Score
- Recyclable?
- Expected Lifespan
- Maintenance Cost
- Recycled aluminium

Predicting Material Behaviour

AI simulation models test how materials behave outdoors:

Corresponding Author: EKE Robort

Copyright © 2026 Author(s) retain the copyright of this article.



- corrosion rate,
- structural bending,
- humidity swelling (in wood),
- temperature expansion (in metals),
- UV degradation.

For example, Zeng (2024) shows that AI can predict the micro-structural behavior of biomaterials and recommend eco-friendly binders.

Circular Material Strategies

“Circular design” encourages :

- reusing,
- repairing,
- recycling,
- designing for disassembly.

AI can recommend:

- fasteners instead of permanent welding,
- modular joints for easy disassembly,
- coatings that biodegrade.

In Nigeria, abundant plastic waste can be transformed into sculpture if AI helps identify safe processing methods and long-term structural integrity. Projects in Lagos recycling PET bottles into pavilion panels show this potential.

Machine Learning in Predicting Environmental Impact of Sculptures

Understanding Predictive Environmental Modelling

Machine learning (ML) transforms sustainability analysis from a manual, slow process into a predictive simulation. Instead of waiting to see how a sculpture will behave over decades, models can estimate environmental consequences in advance. Romeiko et al. (2023) argue that ML provides “faster, more accurate and more scalable” predictions than traditional life-cycle assessment (LCA) alone, especially when large material or fabrication datasets are involved. When outdoor conditions are complex—coastal humidity, rainfall cycles, heat, corrosion, pedestrian interaction—AI allows the artist to evaluate the full environmental footprint before committing to fabrication.

Prediction of Structural Aging and Maintenance

Environmental sculptures deteriorate over time due to:

- corrosion,
- UV radiation,
- wind loading,
- biological growth (fungi, algae),
- vandalism or physical interaction.

Machine learning models can simulate these factors. For example, Elwy (2024) describes AI-enhanced climate modelling for sustainable design, noting that coastal environments accelerate corrosion while dry regions accelerate UV degradation. When similar predictive tools are applied to sculpture, an artist can estimate whether a recycled aluminium surface will survive a decade of rainfall and sea salts without

Corresponding Author: EKE Robort

Copyright © 2026 Author(s) retain the copyright of this article.



toxic coatings. Rather than using heavy chemical sealants, AI might identify natural waxes, biomaterials, or micro-textured coatings that degrade safely and reduce maintenance trips (which also reduce carbon emissions from transport).

Predicting Ecological Disturbance

• Outdoor sculpture can unintentionally human traffic in fragile areas.
Machine learning models—already used in environmental impact assessment for architecture—can forecast how a sculpture:

- obstruct wildlife paths,
- disturb soil layers,
- affect tree roots,
- increase

will interact with:

- water runoff,
- soil compaction,
- plant growth,
- bird or pollinator habitats.

Gachkar (2024) notes AI's ability to "estimate ecological consequences" through simulation-based LCA. For sculpture in protected areas, coastal zones, botanical gardens, or wildlife corridors, these predictions prevent ecological damage while maintaining artistic impact.

Application in Nigerian and African Contexts

African cities face unique environmental challenges:

- coastal erosion in Lagos,
- desertification in northern Nigeria,
- rapid urbanisation with poor waste management.

If public sculpture is installed on the Lekki coastline, for instance, AI may warn that salt-laden humidity will corrode unprotected steel in less than 3 years. If sculptors plan installations near riverbanks in Port Harcourt or Yenagoa, ML can model flooding probability and recommend raised structural bases or permeable foundations. This makes environmental sculpture not only beautiful, but climate-adapted—an urgent concern for African coastal cities.

AI-Driven Life-Cycle Assessment and Green Design Optimization **Life-Cycle Assessment (LCA) as a Sustainability Tool**

LCA evaluates a product from:

- raw material extraction,
- fabrication,
- transportation,
- installation,
- maintenance,
- end-of-life disposal or reuse.

Corresponding Author: EKE Robort

Copyright © 2026 Author(s) retain the copyright of this article.



Traditionally, LCA requires trained sustainability engineers, expensive software, and large data entry effort. AI disrupts this barrier. According to Płoszaj-Mazurek and Ryńska (2024), digital tools such as machine learning and Large Language Models (LLMs) automate LCA at the design phase, making sustainability accessible to non-engineers, including artists.

How AI Optimizes Sustainable Sculpture

AI-enhanced LCA can suggest:

- alternative materials with lower embodied carbon,
- designs with fewer joints and less welding,
- modular systems that allow parts to be replaced,
- forms that maximise structural efficiency with less mass,
- transportation routes with lower emissions,
- coatings and finishes with reduced toxicity.

In Xue et al. (2025), AI reduced industrial material waste by predicting off-cut patterns and structural inefficiencies. For sculpture, the same approach reduces:

- leftover metal,
- failed prints in large-scale 3D printing,
- unnecessary concrete volume,
- excess formwork and scaffolding.
- This makes sculpture less wasteful and more financially efficient for commissioners.
- Designing for Circular End-of-Life

Many public artworks end up abandoned, rusted, or demolished. AI-based circular planning ensures that sculpture:

- can be disassembled,
- can be recycled or reused,
- does not require toxic disposal.

For example:

- Modular bamboo structures can be composted or reused in architecture.
- Recycled aluminium sculptures can be remelted without pollution.
- 3D-printed bioplastics can biodegrade safely.
- Steel welded frame

This empowers artists to justify sustainability choices in grant proposals.

Use in Nigerian Public Art Funding

As Nigerian institutions begin adopting green building standards, AI-assisted LCA can:

- strengthen proposals for cultural funding,
- align sculpture with environmental protection mandates,
- support collaboration with environmental ministries,
- make art consistent with climate-smart city initiatives.

This strengthens the professional legitimacy of artists as environmental stewards—not just aesthetic practitioners.



Integration with Smart Cities and Sustainable Architecture

Environmental Sculpture as Urban Infrastructure

In smart cities, public art is no longer passive. Sculptures can:

- generate solar energy,
- shade public spaces,
- filter air or noise,
- host green roofs or pollinator habitats,
- collect rainwater.

AI helps design these multi-purpose forms by modelling:

- solar exposure,
- airflow,
- pedestrian behaviour,
- energy output.

According to Elwy (2024), AI “integrates environmental analytics, material data, and predictive simulations into design,” allowing sculptural forms to function as green infrastructure.

Data-Responsive Sculpture

- AI enables interactive environmental sculpture:
- LEDs responding to air quality changes,
- colour patterns changing with river pollution levels,
- kinetic forms rotating based on wind intensity,
- soundscapes changing with human footsteps.

These artworks raise environmental awareness while functioning sustainably.

International Case Studies

Refik Anadol – Data Sculptures Refik Anadol Studio transforms climate, ocean, or environmental datasets into dynamic installation surfaces. Works such as Sense of Healing (2022) demonstrate how public art can visualize real-time data for public education.

Solar Tree Installations – Europe and the Middle East

Sculptural forms equipped with photovoltaic leaves provide public phone charging, lighting, and shade. 3D-Printed Recycled Plastic Sculptures – Rotterdam and Osaka Plastic waste is converted into public benches, pavilions, and sculptures through robotic printing. AI predicts structural performance before printing.

African and Nigerian Future Potentials

Environmental sculpture in Africa could integrate:

- solar skin panels for street lighting in Lagos parks,
- flood-responsive kinetic sculptures in Bayelsa,
- recycled plastic sculptures built from local waste recovery,

Corresponding Author: EKE Robort

Copyright © 2026 Author(s) retain the copyright of this article.



- bamboo pavilions hosting cultural exhibitions.

AI would help:

- select region-appropriate materials,
- ensure heat resistance,
- model corrosion in coastal zones,
- optimize renewable energy generation.

This merges art with sustainability and city planning.

Toward a New Methodology for Eco-Conscious Sculpture

Step-by-Step AI-Guided Workflow

- Stage
- Human Role
- AI Contribution
- Site research
- Artist explores concept & culture
- AI models climate, wind, flood risk, soil data
- Concept design
- Sketches, 3D ideas
- Generative AI creates variations from keywords
- Material selection
- Artist chooses preferred options
- AI ranks materials by carbon footprint, recyclability, price
- Structural testing
- Artist tests scale & structure
- AI simulates weathering, corrosion, lifespan
- Life cycle assessment
- Artist defines sustainability goals
- AI calculates emissions, waste, end-of-life outcomes
- Fabrication planning
- Artist coordinates workshop
- AI minimizes waste, optimizes CNC/3D printing paths

Public interaction

- Artist defines meaning
- AI enables data-responsive interaction, AR, smart-sensors
- This method does not replace human creativity. It enhances it.
- Ethical, Cultural, and Educational Considerations
- Avoiding Technological Domination
- AI must not erase cultural identity. African and Indigenous aesthetics must lead, not follow.

Corresponding Author: EKE Robort

Copyright © 2026 Author(s) retain the copyright of this article.



Ethical Sourcing of Data and Materials

Datasets must:

- represent local climate data,
- avoid biased automation,
- support environmental responsibility.
- Teaching Sustainability to Art Students
- Art schools in Nigeria can integrate:
- AI tools for material experimentation,
- digital fabrication with bamboo, clay, recycling,
- VR/AR for site-responsive concept testing.

This creates environmentally literate artists for the 21st century.

Conclusion

Artificial intelligence does more than optimize sculpture; it transforms the philosophy of public art.

Environmental sculpture becomes:

- climate-responsive,
- materially intelligent,
- culturally grounded,
- educational,
- circular in life-cycle,
- and integrated into smart cities.
- By adopting AI tools, sculptors can:
- reduce waste,
- lower carbon emissions,
- select eco-friendly materials,
- design for longevity and recyclability,
- communicate environmental data to the public.

This positions artists not as passive observers of climate change, but as active contributors to ecological solutions. In African contexts—where rapid urbanisation meets urgent environmental challenges—AI offers tools for climate-resilient cultural expression. Public art becomes a partner in sustainability, not a burden. Environmental sculpture, reborn through AI, becomes a bridge between creativity and planetary responsibility.

References

- Elwy, I. (2024). The artificial intelligence reformation of sustainable design. *Journal of Cleaner Technology and Sustainable Design*, 45, 112–130.
- Gachkar, D. (2024). Artificial intelligence in building life cycle assessment. *Architectural Science Review*. <https://doi.org/10.1080/00038628.2024.2350491>
- Płoszaj-Mazurek, M. & Ryńska, E. (2024). Artificial Intelligence and Digital Tools for Assisting Low-Carbon Architectural Design: Merging the Use of Machine Learning, Large Language Models and BIM for Life Cycle Assessment Tool Development. *Energies*, 17(12), 2997.

Corresponding Author: EKE Robort

Copyright © 2026 Author(s) retain the copyright of this article.



- Romeiko, X. X., et al. (2023). A review of machine learning applications in life cycle assessment. *Sustainable AI*, 1(1), 1–20.
- Xue, X., et al. (2025). Integrating artificial intelligence and sustainable materials in production: A waste and carbon-reduction framework. *Scientific Reports*, 15, 20803.
- Zeng, X. (2024). A Review on Design of Sustainable Advanced Materials by Artificial Intelligence. *Advanced Materials for Sustainability & Manufacturing*, 1(1), 10006.
- Zhong, S., et al. (2025). Towards Interactive AI-assisted Material Selection for Sustainable Building Design. *Proceedings of the ACM Conference on Building Design and Materials*.
- “Sustainable Design: The Potential of AI.” (2023, March). Medium.